

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Burnati



(51) International Patent Classification 6:		(11) International Publication Number: WO 98/42298
A61K 7/025, 7/027, 7/031, 7/032	Al	(43) Interactional Publication Data: 1 October 1998 (01.10.98)
(21) International Application Number: PC	T/LIS98/047	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, OB, GE
(22) International Filing Date: 12 March 19	98 (12.03.)	6) GH, OM, GW, HÙ, ID, IL, IS, IP, KE, KG, KP, KR, KZ LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW
(30) Priority Data: 08/524,510 26 March 1997 (26.03)	97)	MX. NO. NZ. PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO peten (GN, GM, KE, LS. MW, SD, SZ, UG, ZW). Eurasian paten (AM, AZ, BY, KG, KZ, MD, RU, TJ, TMD, European peter (AT, BE, CH, DE, DK, BS, FI, FR, GB, GR, IE, IT, LU
(71) Applicant: AVON PRODUCTS, INC. (US/US); of the Americas, New York, NY 10020-1196	1251 Aver	

(72) Inventors: CURTIS, Emest. S.: 423 Leisnie Loop, Milford, PA 18337 (US). SHAH. Arvind, N., 7 Mountainview Avenue, Suffern, NY 10901 (US). PAHLCK, Harold, E.; 36 Lechard Drive, Waldwick, NJ 07463 (US).

(74) Agent: RUGGIERO, Charles, N., J.; Ohlandt, Greeley, Ruggiero & Perie, Suite 903, One Landmark Square, Stamford, CT 06901 (US).

Published

With international search report.

(54) THIE: WEAR RESISTANT COSMETICS

(57) Abstract

A wear-resistant cosmetic composition including a styreno-ethylene/propylene mixed block copolymer, prefembly from about 0.1 weight percent to about 15 weight percent, in a cosmetically acceptable currier. The cosmetic composition may also include an alkyl cycloathylacrylate copolymer, preferably from about 0.1 weight percent to about 15 weight percent.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL.	Albania	Y.S	Spain	l.S	Lerocho	16	Sievenia .
AM	Armazia	71	Finland	LT	Limitale	S K	Slovskis
AT	Avalris	FE	Prairie	w	Luxenbourg	SM	Songal
AU	ANAGOLIA	QA.	action action	LV	Larvis	82	Swestiand
AZ	Azetaijas	CB	United Kingdom	MC	Moneso	מז	Ched
RΑ	Boshis and Herzeyovina	CIE	Georgia	MD	Republic of Moldova	TG	Togo
BEI	Rarindo	GIT	CData a	MG	Mederiscu	TJ	Tuikbren
DE SA	Beigiam	CH.	Gideea	MK	The former Yugoslav	TM	Turkmenlarun
86	Surking Pizo	GR	Greace		Espublic of Masodonis	TR	Thetesy
BC	Bulgaria	H	ilungary	ML	Mali	17	Tribilded and Totals
U.I	Heam	12	reima	MN	Mangalie	ÜÀ	Ungine
BR	Britail	IL.	Ttrapl	MIR	Maurianie	UG	Uzmda
ЯY	Relarva	19	Instanti	MW	Malevi	US	United Street of America
CA	Careada	IT	Lely	MX	Maxico	Ŭ2	Uzbakiatan
CÉ	Control African Republic	JP.) spen	NB	Mear	VN	Viet Ners
CG	Congo	KB	Konya	NL	Necharinaca	YU	Yugastavis
CH	Switzerland	KC	Kyrnyastan	NO	HOPPAY	ZW	Zimbatrera
a	Cale d'Ivaire	KP	Democratic People's	NZ	New Zealuid	-	
CM	Comercen		Rembtic of Kines	ሮፒ	Poland		
CN	China	κķ	Regulblat of Kores	PT	Porsugal		
Ct	C 4 5€	KZ	Kezatera	RO	Romenia		
CZ.	Crock Republic	LC	Saint Lucia	親山	Rumina Pederation		
DR	് രണ്ടത്	LI	Linchtorpton	819	Eaten		
DK	Direction Ch.	1-92	Eri Lanks	AR	Drdon		
5X	Essoni s	1,32	1.lberts	80	Sargepone		

WEAR RESISTANT COSMETICS

The present invention relates generally to wear resistant cosmetic compositions. More particularly, this invention relates to a cosmetic composition containing a styrene-ethylene/propylene mixed block copolymer that demonstrates enhanced wear in combination with a smooth, non-tacky feel.

BACKGROUND OF THE INVENTION

Various organic waxes and film formers are known in the art for their ability to impart uniform films and protective barriers to the skin and lips. Most of these films are slow to dry on application. Because these films remain wet for extended periods of time, they adhere poorly and tend to transfer off the surface to which they are applied. This results in poor overall cosmetic wear, and requires that the user reapply the cosmetic frequently.

Those film formers that provide somewhat more rapid drying times have additional limitations. The primary limitation of these film formers is an unpleasant tacky feel on application to the skin, lips or lashes that is disliked by consumers. Also, these products tend to drag against the skin when applied, and leave the skin feeling dry and sticky.

Accordingly, there is a need for a wearresistant cosmetic that forms a protective film on the skin that is also quick to dry and easy to apply, but does not have an unpleasant, undesirable tacky feel on the skin.

30

SUMMARY OF THE INVENTION

Against the foregoing background, it is a primary object of the present invention to provide a cosmetic composition having enhanced wear resistance.

It is another object of the present invention to provide a cosmetic composition that produces a quick drying protective film on the skin.

It is yet another object of the present invention to provide a wear resistant cosmetic composition that is not tacky and neither drags against the skin upon application nor dries the skin.

To the accomplishment of the foregoing objects and advantages, the present invention, in brief summary, comprises a wear-resistant cosmetic composition including a styrene-ethylene/propylene mixed block copolymer, preferably at from about 0.01 weight percent to about 85 weight percent, in a cosmetically acceptable carrier. The cosmetic composition may also include an alkyl cycloalkylacrylate copolymer, preferably at from about 0.01 weight percent to about 85 weight percent.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

20

The present invention provides a wear-resistant cosmetic such as, for example, a lipstick, foundation, eye shadow, blush or mascara. It has surprisingly been found that a styrene-ethylene/propylene mixed block copolymer provides superior wear resistance to such cosmetic compositions or formulas, both alone and preferably in combination with an alkyl cyclcalkylacrylate copolymer. Moreover, it has surprisingly been found that cosmetic formulas containing the styrene-ethylene/propylene mixed block copolymer are non-tacky and have a pleasant feel when applied to the skin. These compositions are easy to apply, have improved skin and lip adherence (transfer resistance), and provide enhanced wear and longevity.

Most preferably, the wear-resistant cosmetic composition according to the present invention includes a styrene-ethylene/propylene mixed block copolymer in a cosmetically acceptable carrier. This cosmetic composition may also include an alkyl cycloalkylacrylate copolymer as a primary ingredient or in combination with the mixed-block copolymer.

The preferred styrene-ethylene/propylene mixed block copolymer of the present invention is a block copolymer made up of styrene, ethylene and propylene type monomers having the following general structure:

Styrene

$$R_1 - C = C \left(\begin{array}{c} R_2 \\ R_3 \end{array} \right)$$

15

Ethylene

$$\frac{R_2}{R_1} C = C \begin{pmatrix} R_3 \\ R_4 \end{pmatrix}$$

Propylene

where R_1 to R_6 are independently hydrophobic alkyl chains. One possible structure of the copolymer, with the repeating monomer subset shown in brackets, is:

wherein n ≥ 1 and the R groups may be the same or different, and are independently hydrophobic alkyl chains.

The most preferred styrene-ethylene/propylene mixed block copolymer for use in the present invention is available from Brooks Industries as Gel Base (Code 05895). Gel Base (Code 05895) is a styrene-ethylene/propylene mixed block copolymer in combination with isododecane, that is provided as a cloudy white gel. The specific structure of the Gel Base (Code 05895) styrene-ethylene/propylene mixed block copolymer is proprietary to Brooks Industries.

This mixed block copolymer is not water soluble, but is soluble in certain oils and hydrocarbon solvents such as isoparaffin and isododecane. This allows the mixed block copolymer to be delivered in a volatile solvent base to the skin. Once delivered, the volatile solvent evaporates, at least partially, leaving the water insoluble mixed block copolymer film on the skin. This film resists transfer and wear. The mixed block copolymer is most preferably used in combination with a silicone-containing base (containing, for example, dimethicone/cyclomethicone) or an organic volatile in an aqueous base, for suporior feel and wear.

In a preferred embodiment, the styreneethylene/propylene mixed block copolymer is from
about 0.01 percent by weight to about 85 percent by
weight (weight percent) of the total weight of the
composition. In the most preferred embodiment, the
styrene-ethylene/propylene mixed block copolymer is
from about 0.1 to about 15 percent by weight of the
composition. It should be understood that one or
more styrene-ethylene/propylene mixed block
copolymers may be used in the present compositions.

When the composition includes the alkylcycloalkylacrylate copolymer, the preferred alkylcycloalkylacrylate copolymer is a copolymer or
copolymers having the following formulas and the
isomers thereof:

•

R2

R2

C-O-R1

O


R3

C=O

I

R4

20



where R_i to R_i are independently hydrophobic alkyl chains. The alkyl cycloalkylacrylate copolymers are soluble in hydrocarbons, such as isododecane, but not in water, thus enhancing the film-forming effect of the copolymer in a volatile solvent base.

When included, the alkyl cycloalkylacrylate copolymer or copolymers can be from about 0.01 percent by weight to about 85 percent by weight. Preferably, this copolymer is about 0.1 percent by weight to about 15 percent by weight of the composition.

15

20

25

The composition may also include other ingredients, such as a volatile solvent, wax, powder, non-volatile oil, and emulsifier.

The volatile solvent of the present invention acts as a carrier for the other components of the cosmetic, rapidly and evenly dispersing them on the skin, and then evaporating. The preferred volatile solvent includes C₆ to C₂₀ hydrocarbon fractions, more preferably an isoparaffin and most preferably the specific C₁₂ fraction isododecane. Alternatively, cyclomethicone, up to a preferred limit of about 30 weight percent, is also favored.

The volatile solvent may be present in an amount from about 0.01 percent by weight to about 85 percent by weight. However, in certain compositions, less volatile solvent than the maximum 85 percent by weight is desired. For example, a foundation preferably contains no more than about 50 percent by weight of volatile solvent. One or more volatile solvents may be present in the above total amount.

The preferred wax or waxes can be of vegetable, synthetic or hydrocarbon origin. The wax preferably 10 should have a melting point in the range between about 35°C to 120°C. The wax is present in an amount from about 0.01 percent by weight to about 50 percent by weight of the composition. A greater amount of wax is preferred in an anhydrous blush or lipstick 15 than in a mascara. Therefore, the amount of wax in an anhydrous blush or lipstick is preferably about 0.01 percent by weight to about 50 percent by weight, whereas in a mascara, the amount of wax is preferably about 0.01 to about 25 percent by weight of the 20 composition.

The dry powder, as discussed above, gives color and sheen to the cosmetics of the present composition. The preferred dry powder includes an organic or an inorganic powder or a combination thereof. The dry powder preferably is a certified organic lake, a stain or an inorganic pigment having a particle size between about 0.02 and about 85 microns in diameter. The dry powder or powders component is preferably present in an amount from about 0.1 percent by weight to about 65 percent by weight of the composition, with the higher figure most suitable for such products as lipsticks or foundations. A blush or mascara preferably contains no mose than about 20 to 25 weight percent of powder.

25

30

It is also preferred, depending on the final product being formulated, to include a nonvolatile oil, emulsifier, water or a combination thereof to the finished cosmetic composition. The copolymers of the present invention are suitable for use in both water-based and anhydrous systems.

A preferred cosmetic composition according to the present invention comprises from about 0.01 weight percent to about 85 weight percent of a block copolymer of styrene, ethylene and propylene type monomers. In a more preferred embodiment, the composition also includes from about 0.01 weight percent to about 85 weight percent of alkyl cycloalkylacrylate copolymer. Another preferred cosmetic composition according to the present invention comprises:

10

15

30

- from about 0.01 weight percent to about 85 weight percent of a block copolymer of styrene,
 ethylene and propylene type monomers;
- 20 2) from about 0.01 weight percent to about 85 weight percent of alkyl cycloalkylacrylate copolymer:
 - 3) from about 0.01 weight percent to about 85 weight percent volatile solvent;
- 4) from about 0.01 weight percent to about 50 weight percent wax;
 - 5) from about 0.1 weight percent to about 65 weight percent dry powder; and
 - 6) from about 0.01 weight percent to about 80 weight percent non-volatile oil, emulsifier and/or water.

As discussed above, one or more of each ingredient may be used, but with the total amount of that ingredient set forth above.

Within the preferred ranges set forth above, the 35 following Examples 1 through 3 set forth presented

subset compositions for foundations, blushes or lipsticks, and mascaras, respectively.

5

20

Example 1 FOUNDATION

		Wt. 8	
		From about	To about
	Styrene-ethylene/propylene mixed block copolymer	0.01	15
10	Alkyl cyclomethacrylate copolym	er 0.01	15
	Volatile Solvent	0.01	50
	Wax	0.01	30
	Powder	0.1	65
1.5	Nonvolatile cil, emulsifier and water	0.01	55

Example 2 ANHYDROUS BLUSH/LIPSTICK

Wt. 8 From about To about Styrene-ethylene/propylene mixed block copolymer 0.61 10 Alkyl cyclomethacrylate copolymer 25 0.01 20 Volatile Solvent 0.01 60 Wax 0.01 50 Powder 0.1 25 Nonvolatile oil and emulsifier 0.01 55 30

Example 3 MASCARA

35 Wt. 8 From about To about Styrene-ethylene/propylene mixed block copolymer 0.01 30 Alkyl cyclomethacrylate copolymer 0.01 50 40 Volatile Solvent 0.01 70 xsW 0.01 25

Powder	0.1	20
Nonvolatile oil, emul	sifier	
and water	0.01	50

The following are illustrative preferred embodiments.

Example 4 - Pigmented Foundation

	• .	
10	Isododecane	25.00
	Silica-fumed	0.50
	Isooctahexacontane	1.00
	Bentone gel	3.00
	Isododecane/mixed block	5.00
15		e e e
13	copolymer	6.00
	Cycloalkylmethacrylate	
	copolymer/isododecane	2.00
	Laurylmethicone copolyol	2.00
	Polyglycerol diisostearate	0.75
20	Glyceryl tribehenate	0.75
	Glyceryl rosinate	4.00
	Cosmetic powder	8.75
	Cosmetic pigment	12.695
	Demineralized water	27.785
25	Disodium EDTA	0.20
	Sodium hexametaphosphate	0.15
	Sodium chloride	0.50
	Butylene glycol	4.00
	Methylparaben	•
30		0.40
30	Xanthan gum	0.01
	Imidazolidinyl urea	0.50

Example 5 - Waterproof Mascara

	Odorless Mineral Spirits	32.35
35	lsododecane/Mixed Block	
	Copolymer	15.00
	Cycloalkylmethacrylate	
	copolymer/isododecane	4.00
	Pentaerythritol rosinate	2.50
40	Iron oxide	5.00
	Cosmetic wax	9.30
	Cosmetic powder	13.00
	Hydroxylated lanolin	1.30
	Glyceryl Pyroglutamate	
45	Monooleate	0.50
	Polybutene	0.10
	Butylated hydroxytoluene	0.02
	Propy l parabon	0.25
	Demineralized water	14.98

	Polyvinylpyrnolidone	0.10
	Tetrasodium EDTA	0.20
	Acetylated POE lanolin	4.40
	alcohol	0.20
5	Propylene glycol	1.00
•	Methylparaben	0.30
	2-phenoxyethanol	0.50
10		
10	Example 6	- Blush
	makalang katalang atau	
	Tridecyl trimellitate	14.68
	Isododecane/mixed block	
	copolymer	4.95
15	Isododecane	7.35
	Cyclomethicone	4.50
	Cycloalkylmethacrylate	
•	copolymer/isododecane	20.00
•	Pentaerythritol rosinate	1.20
20	Isopropyl lanolate	5.00
	Cosmetic wax	22.00
	ВНТ	0.02
	Ethylhexyl palmitate	5.00
	Jojoba oil	0.50
25	Ethylhexyl methoxycinnamate	1.00
	Tocopherol acetate	
	Organic pigment lake	0.05
	Iron oxide	0.55
		1.35
30	Titanium dioxide	3.85
30	Mica	8.00
	Example 7	Lip Color
35	Comptia	3.4.60
33	Cosmetic wax	14.60
	Diisostearyl fumarate	9.80
	Stearyl dimethicone	3.90
	Ethylhexyl methoxycinnamate	3.20
	Benzophenone 3	1.50
40	Iron oxide pigment	9.60
	Cosmetic powder	2.84
	Cyclomethicone	45.05
	Isododecane	6.00
	Isododecane/mixed block	
45	copolymer	2.00
	Squalane	1.50
	Cycloalkylmethacrylate	
	copolymer/isododecane	0.01
	•	

50

The invention having been thus described with particular reference to the preferred forms thereof,

it will be obvious that various changes and modifications may be made therein without departing from the spirit and scope of the invention as defined in the appended claims.

What we claim is:

 A wear-resistant cosmetic composition comprising a styrene-ethylene/propylene mixed block copolymer in a cosmetically acceptable carrier.

2. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is of a structure as follows:

10

wherein $n \ge 1$ and R represents independently hydrophobic alkyl groups of identical or different types.


1.5

- 3. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is present from about 0.01 percent by weight to about 85 percent by weight of a total composition weight.
- 4. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is present from about 0.1 weight percent to about 15 percent by weight of a total composition weight.


- 5. The cosmetic composition of claim 1, further comprising an alkyl cycloalkylacrylate copolymer.
- 6. The cosmetic composition of claim 5, wherein said alkyl cycloalkylacrylate copolymer is of a structure selected from the group consisting of Structure A, Structure B, an isomer of Structure A, an isomer of Structure B, and a combination thereof:

10

Structure A



Structure B



where R1 to R4 are independently hydrophobic alkyl chains.

- 7. The cosmetic composition of claim 5, wherein said alkyl cycloalkylacrylate copolymer is present at from about 0.01 weight percent to about 95 weight percent.
- 5. The cosmetic composition of claim 5, wherein said alkyl cycloalkylacrylate copolymer is present at from about 0.1 weight percent to about 15 weight percent.
- 9. The cosmetic composition of claim 1, wherein said carrier comprises a volatile solvent.
 - 10. The cosmetic composition of claim 9, wherein said volatile solvent is present at from about 0.01 weight percent to about 85 weight percent.
 - 11. The cosmetic composition of claim 10, wherein said volatile solvent includes a volatile hydrocarbon.
- 25 12. The cosmetic composition of claim 10, wherein said volatile solvent is silicon-based.

20

- 13. The cosmetic composition of claim 1, wherein said carrier includes a volatile hydrocarbon.
- 14. The cosmetic composition of claim 1, wherein said carrier includes silicone.

15. The cosmetic composition of claim 1, further comprising from about 0.01 weight percent to about 50 weight percent wax.

- 5 16. The cosmetic composition of claim 1, further comprising from about 0.1 weight percent to about 65 weight percent dry powder.
- 17. The cosmetic composition of claim 1, wherein said carrier comprises water.
 - 18. The cosmetic composition of claim 1, further comprising a non-volatile oil.
- 15 19. The cosmetic composition of claim 1, further comprising an emulsifier.

20

25

- 20. A wear-resistant cosmetic composition comprising an alkyl cycloalkylacrylate copolymer.
- 21. A wear-resistant cosmetic composition comprising:

from about 0.01 to about 30 percent by weight styrene-ethylene/propylene mixed block copolymer;

from about 0.01 to about 50 percent by weight alkyl cyclomethacrylate copolymer;

from about 0.01 to about 70 percent by weight volatile solvent;

from about 0.01 to 50 percent by weight wax; and from about 0.1 to 65 percent powders.

INTERNATIONAL SEARCH REPORT

hatemational application No. PUT/U898/04704

A. CLASSIFICATION OF SUBJECT MATTER		
IPC(6) :A61K 7/025, 7/027, 7/031, 7/032		
US CL : 434/64, 70.7. 401 According to International Parent Classification (IPC) or so bet	h and the classification and 186	
	M WOMEN CINCIPLE TO STATE TO S	
B FIELDS SEARCHED	- 1 6 1 2 # 2 2 2 2 2 2 2 2 2 2 2	
Minimum documentation seasoked (oleszilicatics system follow	And by distribusion thappys)	
U.S. : 424/64, 70.7, 401		ļ
Decumentation secreted other than minimum documentation to NONE	the extent that such documents are included i	s the fields sourched
Electronic data base consulted during the international search NONE	(name of date base and, where practicable.	search terms used)
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category. Citation of dominant, with indication, where	appropriate, of the relevent passages	Relevant to claim No.
X US 5,558,872 A (JONES et al.) 24 S 26 and claim 1.	September 1996, column 2, line	1-4
Y Zu alid Cialili 1.		9-19
Y US 5,219,560 A (SUZUKI et al.) 1, 11-14, and examples.	5 June 1993, abstract, columns	9 -19
•		
	·	
Purther documents are listed in the continuation of Box	x C. See pamet family annex.	
3pecial attagement of bited dominants;	"T" letter decourses published situs the stee	restaured filing date or priority
"A" dorum the defining that a more date of the ert which is not consider to be of perticular rates	date and not in conflict with the appli of the propipie or theory underlying the	inaelital Marcin let olgat pr spacessiums
"H" carlier document published as as often the international filing day	"X" gangered of personality relevance, the	element arrandes cennor be
"L" descripted which may throw deather an priority element or which	is when the destroyed is these vision	eta en elizarias su masimas imb
name to mishbit the publication date of exother sixtings or oth special remain (se specified)	"Y" demonst of particular references the	slaimed invention entrot be
"O" documents referring to an eral discherers, use, exhibition or sti	ominiared to be believed to be served to the serv	stated diges they also seemed in
ches are a published prior to the minumbared filing date but later to the priority date than a		
Date of the actual completion of the international search	Date of mailing of the international see	nog mport
29 MAY 1998	8 PP NUL 8 S	
Nome and mailing address of the 1944/US Communicator of Patents and Tradomarks	Authorityad afficient	1.00
Box PCT	NOTHSNA VENKAT	NWII
Westington, D.C. 2023 L Faceimile No. (703) 308-4363	Тејераци No. (703) 306-3495	70
	,	
Form PCT/ISA/210 (second shoet)(July 1992)-		1 '1

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

 □ BLACK BORDERS □ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES □ FADED TEXT OR DRAWING □ BLURRED OR ILLEGIBLE TEXT OR DRAWING □ SKEWED/SLANTED IMAGES □ COLOR OR BLACK AND WHITE PHOTOGRAPHS □ GRAY SCALE DOCUMENTS □ LINES OR MARKS ON ORIGINAL DOCUMENT □ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY 	D	efects in the images include but are not limited to the items checked:
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING ☐ SKEWED/SLANTED IMAGES ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS ☐ GRAY SCALE DOCUMENTS ☐ LINES OR MARKS ON ORIGINAL DOCUMENT		☐ BLACK BORDERS
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING □ SKEWED/SLANTED IMAGES □ COLOR OR BLACK AND WHITE PHOTOGRAPHS □ GRAY SCALE DOCUMENTS □ LINES OR MARKS ON ORIGINAL DOCUMENT		☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
 □ SKEWED/SLANTED IMAGES □ COLOR OR BLACK AND WHITE PHOTOGRAPHS □ GRAY SCALE DOCUMENTS □ LINES OR MARKS ON ORIGINAL DOCUMENT 		FADED TEXT OR DRAWING
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS ☐ GRAY SCALE DOCUMENTS ☐ LINES OR MARKS ON ORIGINAL DOCUMENT		☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ GRAY SCALE DOCUMENTS ☐ LINES OR MARKS ON ORIGINAL DOCUMENT		☐ SKEWED/SLANTED IMAGES
☐ LINES OR MARKS ON ORIGINAL DOCUMENT		☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
		☐ GRAY SCALE DOCUMENTS
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY		☐ LINES OR MARKS ON ORIGINAL DOCUMENT
		☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.